J. Field Ornithol., 58(4):539–544

Indices to Volume 58

Compiled by Edward H. Burtt, Jr., and C. Colleen Bilsing

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Adams, N. J., 528 (r)
Adkisson, C. S., 395–396 (r)
Ainley, D. G., 399 (r)
Aldridge, B. M., 516 (r)
Alstrom, P., 398 (r)
Alvo, R., 248 (r)
Anderson, M., 405–406 (r)
Anderson, S. H., 22–25
Angelstrom, P. K., 84 (r)
Appert, O., 246 (r)
Archibald, G., 531 (r)
Arnold, A. P., 535 (r)
Ashkenas, L. R., 261–262 (r), 534 (r)
Askins, R. A., 345–349
Austin, O. L., Jr., 96 (r)
Bacon, B. R., 31
Baeyens, G., 250–251 (r)
Bagnoli, P., 518 (r)
Bailey, E. E., 413–424
Baker-Gabb, D. J., 251 (r)
Balda, R. P., 392–393 (r)
Baldassarre, G. A., 254 (r)
Barbeau, J. M., 256 (r)
Barcena, F., 530–531 (r)
Barclay, R. M. R., 385 (r)
Barnard, P., 521 (r)
Basore, N. S., 86 (r)
Baumgartner, M., 244 (r)
Bayer, R. D., 406 (r)
Becker, J., 244 (r)
Behrndt, M., 244–245 (r)
Benvenuti, S., 518 (r), 519 (r)
Best, L. B., 86 (r)
Best, T. L., 262 (r)
Bezzel, E., 251–252 (r)
Biermann, G. C., 350–354
Birt, V. L., 69–72
Black, A., 257 (r)
Blackburn, D. G., 532 (r)
Blohm, R. J., 144–147
Blokpoel, H., 206–217
Blomquist, S., 395 (r)
Blum, H., 251 (r)
Boag, P. T., 516 (r)
Bocca, M., 408 (r)
Bolen, E. G., 254 (r)
Bomford, M., 522–523 (r)
Bossema, I., 250–251 (r)
Boyd, R., 246–247 (r)
Bradshaw, S. D., 253 (r)
Braucker, R., 535 (r)
Brecheisen, E. M., 256 (r)
Brecheisen, W. R., 256 (r)
Bredin, K. A., 69–72
Brenowitz, E. A., 535 (r)
Bridges, L., 401 (r)
Brisco, M. J., 534 (r)
Britton, C. K., 525 (r)
Brock, K. J., 264 (r)
Brooke, M. de L., 525 (r), 533 (r)
Brooke, R. K., 256 (r)
Brooks, R. P., 526 (r)
Brosset, A., 398–399 (r)
Brown, C. R., 118–125, 248 (r), 528 (r)
Brown, M., 396 (r)
Bruderer, B., 244 (r)
Brunton, D. F., 256 (r)
Bunck, C. M., 395 (r)
Burger, J., 521 (r)
Burke, R. C., II, 218–221
Burneleau, G., 398 (r)
Burnside, F. L., 62–65, 85 (r)
Burr, T. A., 252 (r)
Burtt, E. H., Jr., 2–3, 93–95 (r)
Butler, R. W., 103–111
Butterfield, J., 81 (r), 85 (r)
Buurma, L. S., 518 (r)
Byers, S. M., 499–504
Byrkjedal, I., 383 (r)
Cable, T. T., 256 (r)
Cabo, J. M., 534 (r)
Cairns, D. K., 69–72
Campbell, B., 536–537 (r)
Capranica, R. R., 535 (r)

Carpenter, F. L., 88 (r)
Cheng, T., 531 (r)
Childers, E. L., 395–396 (r)
Chilton, G., 456–463
Clancey, P. A., 531 (r)
Clout, M. N., 73–77
Collins, B. T., 464–473
Collins, P. W., 518 (r)
Conner, R. N., 250 (r)
Conrads, K., 243 (r)
Cooch, R. G., 386 (r)
Cooke, R., 386 (r), 533 (r)
Cooper, J., 256 (r), 384–385 (r), 445–455, 520 (r)
Cooper, S. D., 407 (r)
Cooper, W. J., 90 (r)
Coulson, J. C., 81 (r), 85 (r)
Cox, G. W., 260–261 (r)
Cracraft, J., 258–259 (r)
Craig, J. L., 400 (r)
Croon, B., 245 (r)
Cullen, J. M., 534–535 (r)
Cummings, J. L., 265–269, 490–498
Custer, T. W., 225–230, 395 (r), 480–489
Davis, J. E., 490–498
Davis, W. J., 526 (r)
Dawson, W. R., 528 (r)
den Boer, P. J., 249 (r)
Deng, H., 526 (r)
Dennis, J. V., 516–517 (r)
Denslow, J. S., 404–405 (r)
Derleth, E. L., 198–200
DeSante, D. F., 255 (r), 537 (r)
Deweese, L. R., 252–253 (r)
Dewhurst, C. F., 248 (r)
Diamond, J. M., 88 (r)
Dickerman, R., 91 (r)
Dickinson, T. E., 519–520 (r)
Diehl, P., 252 (r), 528 (r)
Dinsmore, J. J., 396 (r)
Dixon, K. L., 4–5
Dobson, A. P., 252 (r)
Dolbeer, R. A., 87 (r)
Dominguez, J., 530–531 (r)
Dowsett, R. J., 244 (r)
Dowsett-Lemaire, F., 244 (r)
Drost, C., 518 (r)
Dubois, P., 90 (r)
Duffy, D. C., 402 (r)
Duncan, B. W., 517 (r)
Dunn, E. H., 355–371
Dunning, J. B., 392 (r)
Dyke, J., 259–260 (r)
Dyrcz, A., 306–310, 428–431
Dzerzhinskii, F. Y., 253–254 (r)
Eadie, J. M., 245–246 (r)
Earle, R. A., 385 (r)
East, M. L., 84 (r)
Ehrhart, R. L., 250 (r)
Emlen, J. T., 254–255 (r)
Engen, S., 245 (r)
Erard, C., 531 (r)
Ercolino, K. M., 345–349
Escott, N. G., 521 (r)
Esquivias, J. A. T., 529–530 (r)
Evans, H. E., 532 (r)
Evrard, J. O., 31
Fang, G., 90 (r)
Fellers, G. M., 518 (r)
Fennell, J. F., 399 (r)
Fennell, J. S., 399 (r)
Ficken, M. S., 190–197
Fitzherbert, K., 534–535 (r)
Fleischer, R., 246 (r)
Flemming, S. P., 270–273
Foa, A., 518 (r), 519 (r)
Ford, H. A., 401 (r)
Frank, A., 395 (r)
Franklin, R., 528 (r)
Frelin, C., 517–518 (r)
Frohring, P. C., 81 (r)
Frost, P. G. H., 520 (r)
Fry, C. H., 521–522 (r)
Fujioka, M., 386–387 (r), 388 (r)
Furness, R. W., 252 (r)
Futcher, A. G., 318–333
Garrity, S. D., 261–262 (r), 534 (r)
Gaston, A. J., 464–473
Gatter, W., 244–245 (r)
Geiger, C., 249 (r), 255 (r)
Giongo, F., 518 (r)
Goossen, J. P., 398 (r)
Gotmark, F., 405–406 (r)
Graul, W. D., 396–397 (r)
Green, K., 406 (r)
Gress, B., 247 (r)
Griffiths, D., 249 (r)
Grunewald, T. R., 31
Guillory, H. D., 425–427
Guillou, J. J., 531 (r)
Haffer, J., 257 (r)
Hamel, P. B., 537–538 (r)
Hänel, C., 284–287
Hannon, S. J., 389–390 (r)
Haramis, G. M., 198–200
Hardy, J. W., 263 (r)
Harfenist, A., 206–217
Hario, M., 520 (r)
Harris, M. P., 525 (r)
Harvey, P. H., 243 (r)
Haydock, J., 522 (r)
Hébert, P. N., 385 (r)
Heins-Loy, M., 82 (r)
Helb, H. W., 252 (r), 528 (r)

Helle, P., 85 (r)
Helm, R. N., 55–61
Henderson, R. P., 255 (r)
Henry, C., 93 (r)
Hepper, D. N., 534 (r)
Herholdt, J. J., 401 (r)
Higuchi, H., 261 (r)
Hill, G. E., 311–317
Hobson, K. A., 222–224
Hockey, P. A. R., 256 (r)
Hodges, M. F., 91 (r)
Hoffer, H., 84 (r)
Hoffman, R. L., 87 (r)
Hogstad, O., 525 (r)
Hooper, T. D., 403 (r)
Horvath, E. G., 387 (r)
Huang, S., 89 (r)
Hudson, P. J., 252 (r)
Hustings, F., 519 (r)
Ijas, L., 526 (r)
Ingold, D. A., 66–68
Ingold, D. J., 234–235
Ingold, J. J., 66–68
Inoue, Y., 387–388 (r)
Isenman, P., 530 (r)
Isley, L. D., 90 (r)
Jaarola, M., 84 (r)
Jackson, B. J., 82 (r), 91 (r)
Jackson, J. A., 81 (r), 82 (r), 85 (r), 87 (r), 91 (r), 288–290
Jackson, S., 402 (r)
Jaeger, M. M., 490–498
James, D. A., 408–409 (r)
James, P. C., 112–117
James, R. D., 523 (r)
Jamieson, I. G., 400 (r)
Janssen, R. B., 256 (r)
Jehl, J. R., Jr., 231–233
Jemison, E. S., 474–479
Jenni, L., 243–244 (r)
Jiang, S., 90 (r)
Johns, B. E., 490–498
Johnson, N. K., 255 (r)
Johnson, S. G., 247 (r)
Johnston, R. F., 247 (r)
Jones, G., 90 (r)
Joste, N., 387 (r)
Jouventin, P., 384 (r)
Juillard, M., 391 (r)
Kaiser, G. W., 103–111
Kalas, J. A., 249 (r)
Kaneko, Y., 81 (r)
Karasov, W. H., 88 (r)
Karl, B. J., 73–77
Kastner, J., 538 (r)
Kelsall, J. P., 524 (r)
Kent, D. M., 402–403 (r)
King, B., 407–408 (r)
Kirby, R. E., 474–479
Kirkham, I. R., 505–515
Kirkpatrick, R. D., 527 (r)
Klages, N., 533 (r)
Klimkiewicz, M. K., 318–333
Knittle, C. E., 490–498
Knopf, A. A., 538 (r)
Knopf, F. L., 86 (r)
Knudsen, E. I., 536 (r)
Knudsen, P. F., 536 (r)
Koch, U. T., 528 (r)
Koenig, W. D., 389–390 (r)
Korpimaki, E., 92 (r), 249 (r), 250 (r), 397 (r), 519 (r), 534 (r)
Korzun, L. P., 253 (r)
Koski, W. R., 256 (r)
Krebs, J. R., 388–389 (r)
Krechmar, A. V., 247 (r)
Kricher, J. C., 1
Kushlan, J. A., 81 (r)
Labisky, R. F., 86 (r)
Lacey, R. C., 260 (r)
Lack, E., 536–537 (r)
Lack, P., 251 (r)
Lackie, P. M., 534 (r)
La Cock, G. D., 284–287, 445–455
Lagerstrom, M., 519 (r)
Laguesse, M., 523 (r)
Langhelle, G., 383 (r)
Langworthy, R. A., 253 (r)
Larimore, R. W., 527–528 (r)
LaValley, S. A., 218–221
Lein, M. R., 519–520 (r)
Lemon, M., 388 (r)
Lensink, R., 518 (r)
LeValley, R., 255 (r)
Levey, D. J., 403–404 (r)
Levings, S. C., 261–262 (r), 534 (r)
Li, F., 89 (r)
Ligon, J. D., 387 (r), 522 (r)
Lill, A., 91 (r)
Lima, S. L., 399–400 (r)
Lingle, G. R., 250 (r)
Linnartz, L. G., 518 (r)
Linz, G. M., 293–296, 490–498
Linz, L. J., 293–296
Lish, J. W., 90 (r)
Livezey, B. C., 532–533 (r)
Logan, C. A., 297–305
Losch, M., 528 (r)
Lowther, P. E., 247 (r)
Lumsden, H. G., 245–246 (r)
Lundberg, A., 258 (r)
Lundberg, P., 389 (r)
Lynch, J. F., 393 (r)
Lyon, B. E., 386 (r)

Lyons, D. M., 334–344
Maccarone, A. D., 148–151
MacDonald, R. A., 383 (r)
MacInnes, C. D., 355–371
Maffei, G., 408 (r)
Majerus, M. E. N., 260 (r)
Margulis, S. W., 525 (r)
Marler, P., 407 (r)
Marsh, R. C., 528 (r)
Marti, C. D., 531 (r)
Martin, K., 386 (r)
Maruyama, N., 89 (r), 383–384 (r)
Massey, B. W., 32–40, 41–48
Maurer, B. H., 393–394 (r)
Mayaud, N., 531 (r)
Mayoh, K. R., 401–402 (r)
McAuley, D. G., 198–200
McEwen, L. C., 252–253 (r)
McFarland, D. C., 391 (r)
McGillivray, W. B., 350–354
McGregor, P. K., 263 (r)
McNeil, R., 78–80
McNicholl, M. K., 256 (r)
Mehlhop, P., 393 (r)
Meniushina, I. E., 390–391 (r)
Menkens, G. E., Jr., 22–25
Menyushina, I. E., 262 (r)
Mercier, F., 78–80
Merton, D., 530 (r)
Metcalfe, N. B., 258 (r)
Miles, D. B., 246 (r)
Miller, E. H., 49–51, 535 (r)
Miskelly, C. M., 90 (r)
Mitchell, C. A., 480–489
Moermond, T. C., 403–404 (r)
Moholt, R. K., 387 (r)
Moller, A. P., 83 (r), 389 (r)
Monaghan, P., 258 (r)
Montague, T. L., 534–535 (r)
Montevecchi, W. A., 148–151
Montgomerie, R. D., 386 (r)
Morel, M. Y., 528–529 (r)
Moreno, J. M. A., 529–530 (r)
Morrell, S. H., 399 (r)
Morrison, K., 90 (r)
Morton, M. L., 6–21
Mosher, J. A., 274–283, 334–344
Mougin, J.-L., 384 (r)
Mumme, R. L., 389–390 (r)
Naef-Daenzer, B., 251 (r)
Nagy, K. A., 528 (r)
Nardin, C., 401 (r)
Nardin, G., 401 (r)
Neal, J. C., 408–409 (r)
Nettleship, D. N., 505–515
Neuschulz, F., 244 (r)
Nichols, L., 288–290
Nolan, V., Jr., 524–525 (r)
Norberg, R. A., 397–398 (r)
Nordh, N.-E., 84 (r)
Nordin, K. E., 350–354
Nørrevang, A., 394–395 (r)
Nostke, S., 401 (r)
Nowicki, S., 535 (r)
Nyhof, M., 403 (r)
Nyholm, N. E. I., 383 (r)
Ogi, H., 91–92 (r)
Ohlendorf, H. M., 396 (r)
Oka, N., 89 (r), 383–384 (r)
Oliphant, L. W., 112–117
Olson, S. L., 257 (r), 530 (r)
Ormerod, S. J., 92 (r)
Ovsianikov, N. G., 390–391 (r)
Ovsyanikov, N. G., 262 (r)
Parrish, J. R., 522 (r)
Pashley, D. N., 55–61
Paton, P. W. C., 252 (r)
Pavelka, J., 256 (r)
Payne, R. B., 152–170, 262–263 (r)
Peacock, R. J., 90 (r)
Peck, M. K., 523 (r)
Penry, E. H., 525–526 (r)
Pereyra, M. E., 6–21
Perthuis, A., 93 (r)
Peters, S. S., 407 (r)
Petersson, L. R., 395 (r)
Petit, D. R., 52–54
Petit, L. J., 52–54
Phan, D., 88 (r)
Phelan, J. P., 135–143
Picman, J., 372–382
Piersma, T., 401 (r)
Pietiäinen, H., 387 (r)
Pietz, M. A. J., 442–444
Pietz, P. J., 442–444
Pinshow, B., 528 (r)
Pitelka, F. A., 225–230, 389–390 (r)
Platt, M. E., 190–197
Porter, M. L., 86 (r)
Poysa, H., 526–527 (r)
Pratt, T., 256 (r)
Prevec, R., 255 (r)
Prior, K., 248 (r)
Pyle, P., 537 (r)
Qian, G., 89 (r)
Quelle, M., 243 (r)
Quinn, J. S., 533 (r)
Quinn, T. W., 533 (r)
Raikow, R. J., 257 (r)
Randall, B. M., 445–455, 520 (r)
Randall, R. M., 445–455, 520 (r)
Rasmussen, D. T., 257 (r)
Ratcliffe, L. M., 516 (r)
Rauzon, M. J., 527 (r)

Raven, P., 92 (r)
Reid, M. L., 49–51
Reuss, S., 519 (r)
Rezanov, A. G., 405 (r)
Rice, J., 524 (r)
Richardson, H., 533 (r)
Ricklefs, R. E., 528 (r)
Riddiford, N., 82 (r)
Rintoul, D. A., 256 (r)
Roberts, T. J., 407–408 (r)
Robertson, R. J., 236–242, 400 (r)
Robertson, W. B., Jr., 413–424
Robinson, S. K., 405 (r)
Roby, D. D., 528 (r)
Rockwell, R. F., 386 (r)
Rodriguez S., J. R., 78–80
Roell, A., 250–251 (r)
Rooke, I. J., 253 (r)
Roskaft, E., 245 (r)
Ross, G. J. B., 445–455
Rotenberry, J. T., 392 (r)
Ryder, R. A., 396–397 (r)
Safriel, U. N., 525 (r)
Sagar, P. M., 399 (r), 531 (r)
Salo, J., 393 (r)
Salter, R. E., 256 (r)
Sanchez, J. M., 534 (r)
Santana C., E., 26–30, 403–404 (r)
Sato, S., 81 (r)
Saurola, P., 387 (r), 519 (r)
Schaffner, F. C., 396 (r)
Schamel, D., 126–134
Schifferli, L., 251 (r)
Schladweiler, P., 252–253 (r)
Schluter, D., 261 (r)
Schmidt, K. H., 245 (r)
Schmidt-Koenig, K., 243 (r)
Schramm, M., 262 (r)
Schulenberg, E. F., 246 (r)
Schulenberg, J. H., 246 (r)
Schwab, D., 291–292
Schwartz, R., 517 (r), 522 (r)
Scolaro, J. A., 432–441
Scott, J. M., 252 (r)
Sealy, S. G., 222–224, 456–463
Searcy, W. A., 407 (r)
Sedgwick, J. A., 86 (r)
Selin, K., 520 (r)
Semm, P., 519 (r)
Sharik, T. L., 395–396 (r)
Sharp, B., 88 (r)
Siegel-Causey, D., 523 (r)
Simmons, R., 521 (r)
Simpson, K., 524 (r)
Sinclair, J. C., 256 (r)
Singer, A., 96 (r)
Slagsvold, T., 245 (r), 387 (r)
Smartt, R. A., 262 (r)
Smith, A. R., 112–117
Smith, G. E. J., 103–111
Smith, J. A., 256 (r)
Smith, J. N. M., 524 (r)
Smith, K. G., 93 (r)
Smith, P. C., 521 (r)
Snow, B. K., 404–405 (r)
Snow, D. W., 404–405 (r)
Solonen, T., 95 (r)
Spence, J. L., 91 (r)
Sperry, M. L., 201–205
Stacey, P., 387 (r)
Stafford, C. J., 395 (r), 396 (r)
Stahl, J.-C., 384 (r)
Stehn, R. A., 87 (r)
Stevens, T. A., 388–389 (r)
Strom, K. J., 250 (r)
Strong, P. I. V., 218–221
Studd, M. V., 400 (r)
Stutchbury, B. J., 236–242
Sutton, G. M., 96 (r), 254 (r)
Svensson, B. W., 523 (r)
Svensson, L., 96 (r)
Swedberg, J. E., 81 (r)
Swenson, J. E., 247–248 (r)
Sykes, P. W., Jr., 171–189
Szaro, R. C., 392–393 (r)
Takhtajan, A., 263–264 (r)
Tanaka, H., 91–92 (r)
Tanaka, Y., 81 (r)
Tarboten, W. R., 521–522 (r)
Temple, S. A., 26–30, 259 (r)
Tessier, G. D., 206–217
Thomas, C. D., 534 (r)
Tidemann, S. C., 384 (r)
Titman, R. D., 385–386 (r)
Titus, K., 274–283
Tom, F. A., 253 (r)
Torok, J., 262 (r)
Tostain, O., 520–521 (r)
Toups, J. A., 91 (r)
Tracy, D. M., 126–134
Tree, A. J., 256 (r)
Tsujita, T., 91–92 (r)
Tyler, S. J., 92 (r)
Väisänen, R. A., 387 (r)
Valkeajarvi, P., 526 (r)
Valley, P. J., 527 (r)
Van Den Bergh, L. M. J., 245 (r)
Van Horne, B., 392 (r)
van Raden, H., 244 (r)
Vargas, H., 101–102
Varza, D., 522 (r)
Veitch, C. R., 530 (r)
Verbeek, N. A. M., 533 (r)
Vermeer, K., 388 (r)

Vernon, C. J., 245 (r)
Vos, D. K., 396–397 (r)
Waller, J. D., 345–349
Wallraff, H. G., 518 (r)
Walsberg, G. E., 88 (r)
Walton, R., 524–525 (r)
Walton, R. K., 95 (r)
Ward, D., 407 (r)
Warkentin, I. G., 112–117
Watanuki, Y., 83 (r)
Watkins, B. P., 252 (r)
Weimerskirch, H., 384 (r)
Weinstein, Y., 528 (r)
Whelan, J., 383 (r)
White, B. N., 533 (r)
Wiens, J. A., 392 (r)
Williams, J. B., 528 (r)
Willson, M. F., 404 (r)
Wiltschko, R., 519 (r)
Wiltschko, W., 519 (r)
Winkler, D. W., 405–406 (r), 407 (r)
Wise, G. S., 522(r)
Wood, R., 87 (r)
Wood, R. C., 399 (r)
Wooley, J. B., Jr., 86 (r)
Woolfenden, G. E., 413–424
Woronecki, P. P., 87 (r)
Wyckoff, A. M., 255 (r)
Wyndham, E., 522 (r)
Xu, H., 89 (r)
Yamagishi, S., 388 (r)
Yesilevskaya, M. A., 253–254 (r)
Yochem, P. K., 231–233
Young, A. D., 385–386 (r)
Zach, R., 401–402 (r)
Zach, S., 83 (r)
Zahm, G., 474–479
Zeh, J., 245 (r)
Zeleny, L., 87 (r)
Zembal, R., 32–40, 41–48
Zheng, X., 526 (r)
Zheng, Z., 90 (r)
Zhu, G., 90 (r)
Ziewitz, J. W., 250 (r)
Zwank, P. J., 55–61

J. Field Ornithol., 58(4):545–548

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities (e.g., Cook Islands): entries under the same headings used to categorize reviews; and a few additional headings that reflect specific topics (e.g., techniques). Since reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed primarily by geographic location.

Africa, 244, 245, 256, 521
Alabama, 81, 522
Alaska, 126–134, 225–230, 326, 329, 355–361
Alberta, 112–117, 256, 350–354, 355–371, 492–497, 520
Antarctica, 399, 406
Argentina, 432–441
Arizona, 246, 320–323, 325, 326, 329, 392–393
Arkansas, 327, 408–409, 492, 527
Aruba, 26–30
Australia, 89, 91, 251, 258, 401, 534
Australian region, 522
Bahamas, 26–30
banding and longevity
  band loss, 413–424
  capture frequency, 10–11
  longevity records, 49–51, 318–333
  nasal saddle icing, 499–504
  recaptures
    African Penguin, 284–287
    Loggerhead Shrike, 62–65
    Osprey, 26–30
    social, economic, political factors, 26–30
behavior
  adoption, Piping Plover, 270–273
  aggression, interspecific
    Common Loon, 201–205
    Red-headed Woodpecker, 288–290
  anti-predator, Gray Jay, 148–151
  courtship, Snail Kite, 171–189
  dominance reversal, Song Sparrow, 4–5
  flocking
    Rock Dove, 135–143
    seabirds, 456–463
  foraging
    Rock Dove, 135–143
    Wood Duck, 474–479
  fruit defense, American Robin, 442–444
  individual recognition, Clapper Rail, 32–40
  nectar-robbing, 345–349
  ontogeny, Broad-winged Hawk, 334–344
  parasitic egg rejection, Northern Oriole, 222–224
  parental care, Broad-winged Hawk, 334–344
  predation, eggs, 372–382
  territory
    Clapper Rail, 32-40
    Northern Mockingbird, 297–305
  vocalizations
    Clapper Rail, 32–40, 41–48
    House Wren, 190–198
Belgium, 523
Belize, 322
Bering Sea, 92
Bonaire, 26–30
Brazil, Amazonia, 393
British Columbia, 103–111, 256, 330, 355–371, 388, 398, 403, 456–463, 524, 533
British West Indies, 516
California, 6–21, 32–40, 41–48, 81, 231–233, 255, 320, 322–325, 327, 328, 331, 355–371, 396, 407, 518
Canada, 535
Caribbean, 506
Central America, 81
China, 89, 90, 526
Colorado, 86, 112–117, 355–371, 396–397, 525
Columbia, 206–217
Connecticut, 135–143, 322, 329, 331, 517, 522
conservation and environmental quality
  organochlorine contamination, 480–489
  breeding success, Snail Kite, 171–189
  status, Roseate Tern, 505–515
Cook Islands, 530
Costa Rica, 403, 404–405
Crozet Islands, 384
Cuba, 26–30, 206–217
Czechoslovakia, 256
Dominica, 26–30
Dominican Republic (Hispaniola), 26–30, 206–217
ecology
  competition for nest boxes, 425–427
  foraging range, penguins, 118–125
  habitat effect on song, 152–170

life table, penguins, 432–441
nectar robbing, 345–349
Ecuador, 522
Editorial, 1, 2–3
Egypt, 257
El Salvador, 206–217
England, 81, 82, 85, 92, 263, 388–389
Ethiopian region, 522
Europe, 521
central, 251–252
Faroe Islands, 394
Finland, 85, 92, 95, 249–250, 387, 397, 519, 520, 526, 534
Florida, 81, 86, 171–189, 206–217, 321, 324, 329, 402, 413–424, 505
food and feeding
flocking seabirds, 456–463
food selection, Gray Jay, 148–151
fruit defense, American Robin, 442–444
pecan eating, Wood Duck, 474–479
predation, Loggerhead Shrike, 66–68
France, 90, 93, 391, 398, 401, 517, 530
Galapagos, 101–102, 261, 263
Georgia, 81, 322
Germany, 243, 251
Great Lakes, 206–217
Greece, 391
Haiti (Hispaniola), 26–30
Hawaii, 252, 254, 331
Hispaniola, 26–30
Honduras, 206–217
Hungary, 262
Idaho, 355–371
Illinois, 328, 332, 355–371, 499–504
Indiana, 264
Iowa, 86, 355–371, 396, 538
Ireland, 383
Italy, 408
Jamaica, 26–30
Japan, 83, 89, 261, 383–384, 388
Kansas, 112–117, 246, 247, 256, 321, 325
Kenya, 83, 248, 251
Kermadec Islands, 530
Lesser Antilles, 505
Louisiana, 55–61, 81, 492
Madagascar, 246
Manitoba, 144–147, 222–224, 330, 355–371, 492–497
Maryland, 26–30, 198–200, 274–283, 321, 328, 330, 334–344
Massachusetts, 81, 95, 266, 325, 505
Mauritania, 531
Michigan, 26–30, 323, 324, 327, 328, 330, 355–371
migration, orientation, and homing
chronology
Osprey, 26–30
Western Sandpiper, 103–111
White-crowned Sparrow, 6–21
dispersal
Common Tern, 206–217
Loggerhead Shrike, 62–65
penguins, 445–455
Osprey, 26–30
Red-winged Blackbird, 490–498
Minnesota, 201–205, 255, 256, 325, 442–444, 490–497, 527
Mississippi, 81, 82, 91, 234–235, 288–290, 327, 492
Missouri, 355–371, 490–497
mist nets, 410–411
Montana, 112–117, 247–248, 355–371, 492–497
Morocco, 534
morphology and anatomy
fat deposits, 11–14, 18–19, 306–310
growth, Broad-winged Hawk, 334–344
weight, 11–14, 18–19, 103–111
Namibia, 445–455
Nebraska, 112–117, 250, 324
nesting and reproduction
adoption, Piping Plover, 270–273
breeding biology, Pale-legged Hornero, 428–431
breeding chronology
Pomarine Jaeger, 225–230
Red Phalarope, 126–134
Snail Kite, 171–189
clutch size, Canada Goose, 355–371
death of incubating females, 52–54
double-broodedness, Red-headed Woodpecker, 234–235
estimating laying date, 464–473
growth, Broad-winged Hawk, 334–344
nest characteristics
Moorhen, 55–61
Purple Gallinule, 55–61
nest site characteristics
Broad-winged Hawk, 274–283
Golden Eagle, 22–25
Moorhen, 55–61
Purple Gallinule, 55–61
Ring-necked Duck, 31
parasitic egg rejection, 222–224
parasitism by cowbirds, 350–354
parental care, Broad-winged Hawk, 334–344
predation, eggs, 372–382
reproductive success, Black Skimmer, 480–489
Netherlands, 245, 250–251, 517–518, 519
Nevada, 320
New Brunswick, 331, 385–386, 507
Newfoundland, 69–72, 148–151, 524

New Guinea, 257
New Jersey, 26–30, 327, 328, 330, 505, 521
New Mexico, 261, 311–317, 322, 522
New York, 26–30, 206–217, 326, 505
New Zealand, 73–77, 90, 251, 399
North America, 516, 521, 537
North Carolina, 81, 291–292, 297–305, 323, 327, 329
North Dakota, 112–117, 323, 327, 490–497
Northwest Territories, 326, 329, 355–371
Norway, 383, 387, 525
Nova Scotia, 49–51, 270–273, 507–515
Ohio, 206–217, 331, 355–371, 526
Oklahoma, 90, 91, 254, 320, 474–479, 492
Ontario, 206–217, 236–242, 245, 255, 256, 355–371, 492–497, 517, 521, 523
Oregon, 320, 326, 330, 355–371, 387, 392
Pacific, 81
  central islands, 527
Pakistan, 407–408
Panama, 261–262, 534
parasites and diseases
  avian poxvirus, 101–102
  tick, 291–292
Pennsylvania, 320, 327, 328, 330, 526
Peru, 206–217, 306–310, 405, 428–431
plumages and molts
  aging, Black-headed Grosbeak, 311–317
  delayed plumage maturation, 311–317
  molt, Peruvian birds, 306–310
  primaries, growth rate, Red-winged Blackbird, 293–296
  sexing
    Black-headed Grosbeak, 311–317
    Tree Swallow, 236–242
  sexual monochromism, 288–290
population dynamics
  band loss, 413–424
  breeding
    Pomarine Jaeger, 225–230
    Snail Kite, 171–189
  clutch size, Canada Goose, 355–371
  growth, African Penguin, 284–287
  life table, Magellanic Penguin, 432–441
  longevity, 49–51, 318–333
Portugal, 391, 530
Puerto Rico, 26–30, 538
Quebec, 69–72, 329, 507
Rhode Island, 355–371, 395, 538
Russia, 247, 262, 405
St. Lucia, 26–30
Saskatchewan, 112–117, 355–371
Scotland, 90, 258
Senegal, 528
songs and vocalizations
  dialects, indigobirds, 152–170
  function, Clapper Rail, 41–48
  habitat effect, indigobirds, 152–170
  repertoire
    Clapper Rail, 32–40
    House Wren, 190–197
  seasonality, Clapper Rail, 41–48
  song sharing, House Wren, 190–197
South Africa, 118–125, 252, 262, 284–287, 384–385, 401, 445–455
  Prince Edward Islands, 533
South America, 81, 523
South Carolina, 81, 321, 325
South Dakota, 112–117, 326, 328, 355–371, 490–497
South Korea, 401
Spain, 391, 530
Sweden, 84, 383, 395, 397, 523
Switzerland, 243–244, 255
techniques
  aging, Black-headed Grosbeak, 311–317
  band loss, 413–424
  camera record of predation, 372–382
  capturing
    Eared Grebe, 231–233
    Wood Duck, 474–479
  Christmas Bird Count analysis, 112–117
  colored leg band for loons, 218–221
  corral trap, 198–200
  estimating laying date, 464–473
  hidden tunnel to blind, 69–72
  laparotomy, 6
  nasal saddle icing, 499–504
  nylon fasteners for tags, 265–269
  remote sensor for swimming speed, 118–125
  sexing
    Black-headed Grosbeak, 311–317
    duckling, Gadwall, 144–147
    Tree Swallow, 236–242
  stop-over duration, estimating, 110–111
  weak link radio harness, 73–77
Tennessee, 52–54, 355–371, 492
Texas, 66–68, 81, 82, 250, 254, 328, 329, 480–489
Trinidad, 26–30
Utah, 321, 355–371, 531
Venezuela, 78–80, 206–217
Vermont, 320
Virgin Islands, 345–349
Virginia, 26–30, 330, 355–371, 395–396
Wales, 92, 525
Washington, 87, 355–371
West Indies, 81
West Virginia, 320, 321
wildlife management
  adoption, Piping Plover, 270–273

capture
Eared Grebe, 231–233
Wood Duck, 474–479
competition for nestboxes, 425–427
weak link radio harness, 73–77
Wisconsin, 26–30, 31, 190–197, 330, 355–371, 492–497
Wrangel Island, 390
Wyoming, 22–25, 112–117, 355–371
Zambia, 152–170, 525
zoogeography and distribution
breeding biology, Pale-legged Hornero, 428–431
clutch size, Canada Goose, 355–371
dispersal
African Penguin, 445–455
Red-winged Blackbird, 490–497
range extension
Bar-tailed Godwit, 78–80
Merlin, 112–117
winter range
Common Tern, 206–217
Loggerhead Shrike, 62–65

J. Field Ornithol., 58(4):549–559

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

Accipiter nisus, 342, 344
A. striatus, 522
A. tachiro, 248
Acrocephalus scirpaceus, 82
Actitis macularia, 426
Aechmophorus occidentalis, 232
Aegolius funereus, 397, 519, 531, 534
Agelaius phoeniceus, 87, 196, 197, 246, 265, 293, 296, 327, 490, 519
A. tricolor, 223, 327
Aimophila botterii, 394
A. cassinii, 394
A. ruficeps, 246, 322
Aix sponsa, 474, 478
Alauda arvensis, 83, 253
A. gulgula, 526
Albatross, Buller's, see *Diomedea b. bulleri*
Gray-headed, see *D. chrysostoma*
Wandering, see *D. exulans*
Yellow-nosed, see *D. chlororhynchos*
Alcedinidae, 307
Alcedo atthis, 92
Ammodramus maritimus, 324
A. maritimus nigrescens, 324
A. princeps, 514
A. savannarum, 67, 87, 324
Amphispiza belli, 170, 392
A. bilineata, 256, 323, 394
Anas acuta, 254, 516, 527
A. americana, 516
A. clypeata, 89, 232, 527
A. crecca, 89, 254, 475, 516, 527
A. crecca carolinensis, 90
A. discors, 28, 31, 91, 146, 516
A. penelope, 245, 527
A. platyrhynchos, 31, 202, 203, 232, 245, 405, 475, 499, 527
A querquedula, 527
A. strepera, 144, 232, 475
Anatidae: *Tachyeres*, 532
Ani, Smooth-billed, see *Crotophaga ani*
Anous stolidus, 527
Anser albifrons, 247
A. caerulescens, 386, 391
A. caerulescens caerulescens, 533
Antbird, Guianese, see Formicariidae
see *Hylopezus macularius*
see *Thamnophilus nigrocinereus*
White-throated, see *Gymnopithys salvini*
Anthus pratensis, 82
A. trivialis, 85
Apapane, see *Himatione sanguinea*
Aphelocoma c. coerulescens, 83
Aplonis mavornata, 530
Aptenodytes forsteri, 125
A. patagonicus, 121, 124, 455
Aquila chrysaetos, 22–25, 337
Ardea cinerea, 249, 255, 424, 531
A. herodias, 143, 387, 396, 524
A. monicae, 531
Ardeola striata, 261
Arenaria interpres, 49
Asio flammeus, 227
A. otus, 403
Athene noctua, 391
Auklet, Cassin's, see *Ptychoramphus aleuticus*
Rhinoceros, see *Cerorhinca monocerata*
Aythya affinis, 200
A. americana, 145, 147
A. collaris, 31, 149, 202, 203
A. fuligula, 245
A. marila, 200
A. valisineria, 145, 146, 198
Bananaquit, see *Coereba flaveola*
Barbet, Black-collared, see *Lybius torquatus*
Crested, see *Trachyphonus vaillantii*
Bittern, Least, see *Ixobrychus exilis*
Blackbirds, Brewer's, see *Euphagus cyanocephalus*
Eurasian, see *Turdus merula*
Redwinged, see *Agelaius phoeniceus*
Rusty, see *E. carolinus*
Tricolored, see *A. tricolor*
Yellow-headed, see *Xanthocephalus xanthocephalus*
Bluebird, Eastern, see *Sialia sialis sialis*
Mountain, see *S. currucoides*
Bobolink, see *Dolichonyx oryzivorus*
Bobwhites, Northern, see *Colinus virginianus*
Bombycilla cedrorum, 442
B. garrulus, 112, 114
Booby, Masked, see *Sula dactylatra*
Boubou, African, see *Laniarius ferrugineus*
Bowdleria, 90
Brachyramphus marmoratus, 456, 457
Bramblings, see *Fringilla montifringilla*
Brant, see *Branta bernicla*
Branta bernicla, 516

B. canadensis, 203, 355, 369–370, 499
Bubo virginianus, 148, 186
Bubulcus ibis, 273, 386
Bucconnidae, 307
Bucephala clangula, 201, 203, 245
Bucorvus leadbeateri, 245
Budgerigar, see *Melopsittacus undulatus*
Bullfinches, see *Pyrrhula pyrrhula*
Lesser Antillean, see *Loxigilla noctis*
Bulweria spp., 81
Buntings, Black-headed, see *Emberiza melanocephala*
Corn, see *E. calandra*
Indigo, see *Passerina cyanea*
Lark, see *Calamospiza melanocorys*
Lazuli, see *P. amoena*
Little, see *E. pusilla*
McKay's, see *Plectrophenax hyperboreus*
Ortolan, see *E. hortulana*
Painted, see *Passerina ciris*
Snow, see *Plectrophenax nivalis*
Buteo buteo, 424
B. lineatus, 274, 275, 283
B. platypterus, 274, 275, 282, 283, 334, 343
Cacicus cela, 405
Caciques, Yellow-rumped, see *Cacicus cela*
Calamospiza melanocorys, 323, 350
Calcarius lapponicus, 225, 326
C. mccownii, 252
C. ornatus, 255
Calidris alba, 49, 50
C. alpina, 50, 51, 109, 110, 130, 134, 395
C. alpina alpina, 20
C. canutus, 516
C. ferruginea, 395
C. mauri, 50, 103
C. melanotos, 91
C. minutilla, 49, 50, 535
C. pusilla, 19
C. temminckii, 50
Calonectris spp., 81
Canvasback, see *Aythya valisineria*
Capercaillie, see *Tetrao urogallus*
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 66, 250, 320, 393
C. sinuatus, 320
Carduelis chloris, 295
C. flavirostris, 526
C. flammea, 85, 330, 399
C. flammea cabaret, 296, 399
C. pinus, 330
C. psaltria, 331
C. tristis, 331
Carpodacus cassinii, 330
C. mexicanus, 91, 256, 330
C. purpureus, 330, 443
Catbird, Gray, see *Dumetella carolinensis*
Catharacta maccormicki, 399
Catharus guttatus, 256
C. ustulatus, 256
Catoptrophorus semipalmatus, 39, 78
Cepphus columba, 457
C. grylle, 69, 91
Cerorhinca monocerata, 462
Certhia familiaris, 397
Ceryle alcyon, 526
C. rudis, 253
Chaffinch, see *Fringilla coelebs coelebs*
Charadrius bicinctus, 522
C. hiaticula, 272, 273
C. melodus, 270
C. mongolus, 256
C. morinellus, 249
C. vociferus, 86
Chat, Yellow-breasted, see *Icteria virens*
Chen caerulescens, 52
C. caerulescens caerulescens, 221
Chickadee, Black-capped, see *Parus atricapillus*
Carolina, see *P. carolinensis*
Chlidonias nigra, 211
Chondestes grammacus, 323
Chordeiles acutipennis, 91
C. minor, 398
Cinclus cinclus, 92
Circus aeruginosus, 251
C. cyaneus, 517, 521
Cistothorus palustris, 195, 380
C. platensis, 195
Clupea harengus pallasii, 456
Coccothraustes vespertinus, 331
Coccyzus americana, 516
C. minor, 516
Coenocorypha, 90
Coereba flaveola, 345, 346
Colaptes auratus, 288
Colinus virginianus, 88
Columba fasciata, 215
C. livia, 135, 247, 535
Conuropsis carolinensis, 255
Coot, see *Fulica americana*
European, see *F. atra*
Hawaiian American, see *F. americana alai*
Coragyps atratus, 256
Cormorant, see *Phalacrocorax carbo*
Bank, see *P. neglectus*
Magellanic, see *P. magellanicus*
Pelagic, see *P. pelagicus*
Shag, see *P. aristotelis*
Corvus brachyrhynchos, 37, 151, 187, 380
C. caurinus, 533
C. cornix, 405
C. corone, 250
C. cryptoleucus, 522

C. frugilegus, 245, 250, 383
C. monedula, 250
C. ossifragus, 186, 187
Coturnix chinensis, 379
C. coturnix, 379
Cowbird, Bronzed, see *Molothrus aeneus*
Brown-headed, see *M. ater*
Crane, Whooping, see *Grus americana*
Creagrus furcatus, 263
Crossbill, Red, see *Loxia curvirostra*
Crossoptilon mantchuricum, 89
Crotophaga ani, 273
Crows, American, see *Corvus brachyrhynchos*
Carrion, see *C. corone*
Common, see *C. brachyrhynchos*
Fish, see *C. ossifragus*
Hooded, see *C. cornix*
Jackdaw, see *C. monedula*
Northwestern, see *C. caurinus*
Rook, see *C. frugilegus*
Cuckoos, Common, see *Cuculus canorus*
Mangrove, see *Coccyzus minor*
Yellow-billed, see *Coccyzus americana*
Cuculidae, 307
Cuculus canorus, 82, 84, 388
Curlew, Eastern, see *Numenius madagascariensis*
Long-billed, see *N. americanus*
Cyanocitta cristata, 380, 443
Cyanopica cyana, 388
Cygnus buccinator, 256
Daption capense, 406
D. capense australe, 531
Delichon urbica, 370
Dendragapus obscurus, 77
Dendrocolaptidae, 307
Dendrocopus leucotos, 256
Dendrocygna autumnalis, 82
D. bicolor, 57
Dendroica cerulea, 247
D. coronata, 67, 291
D. discolor, 396, 516, 524
D. palmarum, 516
D. petechia, 263, 400, 516
D. striata, 16, 20
D. tigrina, 516
D. virens, 516
Dickcissel, see *Spiza americana*
Diomedea spp., 81
D. b. bulleri, 90
D. chlororhynchos, 533
D. chrysostoma, 533
D. exulans, 528
D. irrorata, 263
Dipper, see *Cinclus cinclus*
Dolichonyx oryzivorus, 326
Dotterel, see *Charadrius morinellus*
Banded, see *C. bicinctus*
Dove, see *Ptilionopus rarotongensis*
Collared, see *Streptopelia decaocto*
Mourning, see *Zenaida macroura*
Rock, see *Columba livia*
Ruddy Quail, see *Geotrygon montana*
Turtle, see *S. turtur*
Dowitcher, Long-billed, see *Limnodromus scolopaceus*
Duck, Black-bellied Whistling, see *Dendrocygna autumnalis*
Canvas-back, see *Aythya valisineria*
Flying Steamer, see *Tachyeres patachonicus*
Fulvous Whistling, see *Dendrocygna bicolor*
Redhead, see *A. americana*
Ring-necked, see *A. collaris*
Ruddy, see *Oxyura jamaicensis*
Steamer, see Anatidae: *Tachyeres*
Tufted, see *A. fuligula*
White-headed, see *Oxyura leucocephala*
Wood, see *Aix sponsa*
Dumetella carolinensis, 273, 380, 516
Dunlin, see *Calidris a. alpina*
Dunnock, see *Prunella modularis*
Eagle, Bald, see *Haliaeetus leucocephalus*
Golden, see *Aquila chrysaetos*
White-tailed Sea, see *H. albicilla*
Egrets, Cattle, see *Bubulcus ibis*
Great, see *Egretta alba*
Little, see *E. garzetta*
Snowy, see *E. thula*
Egretta alba, 90
E. caerulea, 402, 403
E. garzetta, 387
E. sacra, 169
E. thula, 402, 403
E. tricolor, 402, 403
Eider, Common, see *Somateria mollissima*
Elanus caeruleus, 91
Emberiza melanocephala, 91
E. calandra, 263
E. hortulana, 243
E. pusilla, 91
Emberizidae, 307
Empidonax difficilis, 255
E. flaviventris, 255
Eremophila alpestris, 67, 252, 350, 392, 526
Erithacus rubecula, 117
Eudyptes spp., 125
E. chrysocome, 118, 125
E. chrysolophus, 118
Eudyptula minor, 455
Eulampis holosericeus, 346
Euphagus carolinus, 327

E. cyanocephalus, 327, 350
Euplectes progne, 260
Falco sp., 272
F. columbarius, 113, 117, 521
F. columbarius richardsonii, 112, 113
F. peregrinus, 398
F. tinnunculus, 92
Fernbirds, see *Bowdleria*
Ficedula albicollis, 262
F. hypoleuca, 109, 383, 387
F. parva, 91
Fieldfare, see *Turdus pilaris*
Finch, Black (Rosy), see *Leucosticte arctoa atrata*
Cassin's, see *Carpodacus cassinii*
House, see *C. mexicanus*
Large Ground, see *Geospiza magnirostris*
Laysan, see *Telespyza cantans*
Melba, see *Pytilia melba*
Nihoa, see *T. ultima*
Purple, see *C. purpureus*
Red-billed, see *Lagonosticta senegala*
Rosy (Gray-crowned), see *Leucosticte arctoa*
Small Ground, see *G. fuliginosa*
Zebra, see *Poephila guttata*
Firefinches, see *Lagonosticta* spp.
Flicker, Northern, see *Colaptes auratus*
Flycatcher, Ash-throated, see *Myiarchus cinerascens*
Collared, see *Ficedula albicollis*
Pied, see *F. hypoleuca*
Red-breasted, see *F. parva*
Western, see *Empidonax difficilis*
Yellow-bellied, see *E. flaviventris*
Formicariidae, 307, 520
Fratercula arctica, 394, 524
Fregata minor, 263
F. tropica, 384
Frigatebird, Great, see *Fregata minor*
Fringilla coelebs coelebs, 20, 310
F. montifringilla, 244, 401
Fringillidae, 307
Fulica americana, 232
F. americana alai, 252
F. atra, 245
Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 420
Furnariidae, 307
Furnarius leucopus, 428
F. rufus, 428
Gadwall, see *Anas strepera*
Galbulidae, 307
Gallinula chloropus, 55, 60
G. comeri, 252
G. galeata, 61
Gallinule, Florida, see *Gallinula galeata*
Purple, see *Porphyrula martinica*
Gallirallus australis, 90
Gannet, Australian, see *Sula basana serrator*
Garganey, see *Anas querquedula*
Garrodia nereis, 384
Garrulus glandarius, 250
Gavia arctica, 201
G. immer, 201, 218, 248, 527
Gelochelidon nilotica, 534
Geospiza spp., 263
G. fuliginosa, 263
G. magnirostris, 263
Geothylpis trichas, 350, 516
Geotrygon montana, 307, 308
Gnatcatcher, Blue-gray, see *Polioptila caerulea*
Godwit, Bar-tailed, see *Limosa lapponica*
Marbled, see *Limosa fedoa*
Goldeneye, Common, see *Bucephala clangula*
Goldfinch, American, see *Carduelis tristis*
Lesser, see *C. psaltria*
Goose, Canada, see *Branta canadensis*
Lesser Snow, see *Anser caerulescens*
Snow, see *Chen caerulescens*
White-fronted, see *A. albifrons*
Goshawk, African, see *Accipter tachiro*
Grackle, Boat-tailed, see *Quiscalus major*
Common, see *Q. quiscula*
Great-tailed, see *Q. mexicanus*
Grassquit, Black-faced, see *Tiaris bicolor*
Grebes, Black-necked, see *Podiceps nigricollis*
Eared, see *P. nigricollis*
Great Crested, see *P. cristatus*
Horned, see *P. auritus*
Pied-billed, see *Podilymbus podiceps*
Western, see *Aechmophorus occidentalis*
Greenfinch, see *Carduelis chloris*
Grosbeaks, Black-headed, see *Pheucticus melanocephalus*
Blue, see *Guiraca caerulea*
Evening, see *Coccothraustes vespertinus*
Pine, see *Pinicola enucleator*
Rose-breasted, see *Pheucticus ludovicianus*
Grouse, Black, see *Tetrao tetrix*
Blue, see *Dendragapus obscurus*
Red, see *Lagopus lagopus scoticus*
Grus americana, 250, 272
Guillemot, Black, see *Cepphus grylle*
Pigeon, see *C. columba*
Guira guira, 273
Guiraca caerulea, 320, 394
Gulls, Audouin's, see *Larus audouinii*
Black-backed, see *L. marinus*
Black-billed, see *L. bulleri*
California, see *L. californicus*

Common Black-headed, see *L. ridibundus*
Dominican, see *L. dominicanus*
Glaucous, see *L. hyperboreus*
Glaucous-winged, see *L. glaucescens*
Heermann's, see *L. heermanni*
Herring, see *L. argentatus*
Iceland, see *L. glaucoides*
Kumlien's, see *L. glaucoides*
Laughing, see *L. atricilla*
Lava, see *L. fuliginosus*
Ring-billed, see *L. delawarensis*
Swallow-tailed, see *Creagrus furcatus*
Thayer's, see *L. thayeri*
Western, see *L. occidentalis*
Gymnopithys salvini, 307–308
Gymnorhina tibicen dorsalis, 257
G. t. longerostris, 257
G. t. papuana, 257
Gyps coprotheres, 73, 77
Haematopus ostralegus, 525
H. palliatus, 261, 534
Haliaeetus albicilla, 90
H. leucocephalus, 81
Halobaena caerulea, 384
Harriers, Marsh, see *Circus aeruginosus*
Northern, see *C. cyaneus*
Hawks, Broad-winged, see *Buteo platypterus*
Red-shouldered, see *B. lineatus*
Sharp-shinned, see *Accipiter striatus*
Hemiphaga novaeseelandiae, 73
Heron, Black-crowned Night, see *Nycticorax nycticorax*
Gray, see *Ardea cinerea*
Great Blue, see *A. herodias*
Green-backed, see *Ardeola striata*
Little Blue, see *Egretta caerulea*
Tricolored, see *E. tricolor*
White, see *Ardea monicae*
Himantopus mexicanus knudseni, 252
Himatione sanguinea, 331
Hirundinidae, 307
Hirundo pyrrhonota, 91, 248, 527
H. rustica, 244, 370, 389
H. spilodera, 385
Honeyeater, New Holland, see *Phylidonyris novaehollandiae*
Hornbill, Ground, see *Bucorvus leadbeateri*
Hornero, Pale-legged, see *Furnarius leucopus*
Rufous, see *Furnarius rufus*
Hummingbird, Antillean Crested, see *Orthorhynchus cristatus*
Green-throated Carib, see *Eulampis holosericeus*
Streamertail, see *Trochilus polytmus*
Hylocichla mustelina, 393
Hylopezus macularius, 520
Icteria virens, 393, 396
Icterinae, 307
Icterus cucullatus, 223, 328
I. galbula, 222, 329
I. parisorum, 329
I. pectoralis, 329
I. spurius, 328
Indigobird, Dusky, see *Vidua purpurascens*
Village, see *V. chalybeata*
Ixobrychus exilis, 57
Jacana, Lesser, see *Microparra capensis*
Jackdaw, see *Corvus monedula*
Jaeger, Pomarine, see *Stercorarius pomarinus*
Jay, Blue, see *Cyanocitta cristata*
Eurasian, see *Garrulus glandarius*
Florida Scrub, see *Aphelocoma c. coerulescens*
Gray, see *Persoreus canadensis*
Junco, Dark-eyed, see *Junco hyemalis*
Dark-eyed (Gray-headed), see *J. hyemalis*
Dark-eyed (Oregon), see *J. hyemalis*
Dark-eyed (Slate-colored), see *J. hyemalis*
Dark-eyed (White-winged), see *J. hyemalis*
Yellow-eyed (Mexican), see *J. phaeonotus*
Junco hyemalis, 18, 67, 110, 325, 326
J. phaeonotus, 326
Kaka, see *Nestor meridionalis*
Kestrel, see *Falco tinnunculus*
Killdeer, see *Charadrius vociferus*
Kingbird, Eastern, see *Tyrannus tyrannus*
Western, see *T. verticalis*
Kingfisher, see *Alcedo atthis*
Belted, see *Ceryle alcyon*
Pied, see *C. rudis*
Kites, Black-shouldered, see *Elanus caeruleus*
Red, see *Milvus milvus*
Snail, see *Rostrhamus sociabilis plumbeus*
Kittiwake, Black-legged, see *Rissa tridactyla*
Knot, Red, see *Calidris canutus*
Lagonosticta spp., 153
L. rhodoporeia, 156, 164, 166, 167
L. senegala, 156, 162, 166, 167, 170
Lagopus lagopus scoticus, 252
Laniarius ferrugineus, 166
Lanius excubitorius, 83
L. ludovicianus, 62, 64, 66, 85, 273
L. ludovicianus excubitorides, 64
L. ludovicianus gambeli, 64
L. ludovicianus migrans, 64
L. ludovicianus nevadensis, 64
Lark, Flappert, see *Mirafra rufocinnamomea*
Horned, see *Eremophila alpestris*
Larus argentatus, 81, 85, 385, 420, 424, 513, 521, 524

L. atricilla, 461
L. audouinii, 91
L. bulleri, 39
L. californicus, 456, 457
L. delawarensis, 212, 420, 516
L. dominicanus, 420
L. fuliginosus, 263
L. glaucescens, 273, 456, 457
L. glaucoides, 91, 398, 468
L. heermanni, 456, 457
L. hyperboreus, 468
L. marinus, 385, 513
L. occidentalis, 470
L. ridibundus, 256, 406, 517
L. thayeri, 256
Leptoptilos crumeniferus, 343
Leucosticte arctoa, 329
L. arctoa atrata, 329
Limicola falcinellus, 523
Limnodromus scolopaceus, 91
Limosa fedoa, 78
L. lapponica, 78
Longspur, Chestnut-collared, see *Calcarius ornatus*
Lapland, see *C. lapponicus*
McCown's, see *Calcarius mccownii*
Loon, Arctic, see *Gavia arctica*
Common, see *G. immer*
Lophodytes cucullatus, 245
Loxia curvirostra, 350
Loxigilla noctis, 345–347
Luscinia luscinia, 170
Lybius torquatus, 407
Lyrebird, Superb, see *Menura superba*
Machaeropterus pyrocephalus, 307–308
Magpie, Azure-winged, see *Cyanopica cyana*
Black-billed, see *Pica pica*
New Guinean, see *Gymnorhina tibicen papuana*
Mallard, see *Anas platyrhynchos*
Manakin, Band-tailed, see *Pipra fasciicauda*
Fiery-capped, see *Machaeropterus pyrocephalus*
Martin, House, see *Delichon urbica*
Purple, see *Progne subis*
Meadowlark, Eastern, see *Sturnella magna*
Western, see *S. neglecta*
Megadyptes antipodes, 437
Melanerpes carolinus, 288
M. erythrocephalus, 234, 288
M. formicivorus, 387, 390
Melopsittacus undulatus, 343
Melospiza georgiana, 325, 407
M. lincolnii, 325
M. melodia, 4–5, 324, 407
Menura superba, 91
Mergansers, Hooded, see *Lophodytes cucullatus*
Red-breasted, see *Mergus serrator*
Mergus serrator, 203, 385
Merlin, see *Falco columbarius*
Richardson's, see *Falco columbarius richardsonii*
Microparra capensis, 521
Milvus milvus, 281
Mimidae, 307
Mimus polyglottos, 67, 115, 297, 305, 443
M. trifasciatus, 263
Mirafra rufocinnamomea, 166, 170
Mniotilta varia, 516
Mockingbird, Galapagos, see *Nesomimus parvulus parvulus*
Northern, see *Mimus polyglottos*
Molothrus aeneus, 328
M. ater, 52, 222, 246, 255, 328, 350
Momotidae, 307
Moorhen, Common, see *Gallinula chloropus*
Gough, see *Gallinula comeri*
Murre, Common, see *Uria aalge*
Thick-billed, see *U. lomvia*
Murrelet, Ancient, see *Synthliboramphus antiquus*
Marbled, see *Brachyramphus marmoratus*
Muscicapidae, 307
Myiarchus cinerascens, 246, 247
Nectarinia coccinigastra, 170
Nesomimus parvulus parvulus, 101
Nestor meridionalis, 76
Nighthawk, Common, see *Chordeiles minor*
Lesser, see *Chordeiles acutipennis*
Nightingale, Thrush, see *Luscinia luscinia*
Noddy, Brown, see *Anous stolidus*
Numenius madagascariensis, 401
N. americanus, 39
Nuthatches, Asiatic, see *Sitta neumayer*
see also, *S. tephronota*
Nyctea scandiaca, 227, 262, 390
Nycticorax nycticorax, 488
Oceanites oceanicus, 384
Oceanodroma spp., 81
O. leucorhoa, 83
Odocoileus hemionus, 525
Oriole, Hooded, see *Icterus cucullatus*
Northern, see *I. galbula*
Orchard, see *I. spurius*
Scott's, see *I. parisorum*
Spot-breasted, see *I. pectoralis*
Orthorhynchus cristatus, 346
Ortygospiza atricollis, 526
O. gabonensis, 525
O. locustella, 526
Osprey, see *Pandion haliaetus*
Ostrich, see *Struthio camelus*

Otus asio, 254
O. bakkamoena, 408
O. brucei, 408
O. flammeolus, 518
O. lempiji, 408
O. scops, 408
O. spilocephalus, 408
O. sunia, 408
Ovenbird, see *Seiurus aurocapillus*
Owl, Barn, see *Tyto alba*
Boreal, see *Aegolius funereus*
Collared Scops, see *Otus lempiji*
Eastern Screech, see *O. asio*
Flammulated, see *O. flammeolus*
Great Gray, see *Strix nebulosa*
Great Horned, see *Bubo virginianus*
Hawk, see *Surnia ulula*
Indian Scops, see *O. bakkamoena*
Little, see *Athene noctua*
Long-eared, see *Asio otus*
Short-eared, see *Asio flammeus*
Snowy, see *Nyctea scandiaca*
Tawny, see *Strix aluco*
Tengmalm's, see *Aegolius funereus*
Ural, see *Strix uralensis*
Oxyura jamaicensis, 90, 232
O. leucocephala, 529
Oystercatcher, see *Haematopus ostralegus*
American, see *H. palliatus*
Pachyptila belcheri, 384
P. desolata, 384
P. salvini, 384
P. turtur, 384
Pandion haliaetus, 26–30, 90
Panurus biarmicus, 309
Parakeet, Carolina, see *Conuropsis carolinensis*
Partridge, Hungarian, see *Perdix perdix*
Parula americana, 516
Parula, Northern, see *Parula americana*
Parus atricapillus, 426, 525, 535
P. bicolor, 93, 195
P. caeruleus, 54, 245, 262
P. carolinensis, 426
P. major, 60, 84, 143, 169, 262
P. montanus, 525
P. palustris, 388, 389
Passerculus sandwichensis, 324
Passer domesticus, 5, 67, 87, 88, 114, 151, 247, 331, 521
P. montanus, 90, 332
Passerella iliaca, 324
Passerina amoena, 321
P. ciris, 321
P. cyanea, 321, 516
Pelecanoides georgicus, 384
P. urinator, 384
Pelecanus occidentalis, 82
Pelican, Brown, see *Pelecanus occidentalis*
Penguins, Adelie, see *Pygoscelis adeliae*
African, see *Spheniscus demersus*
Antarctic, see *Phygoscuis* spp.
Chinstrap, see *Pygoscelis antarctica*
Emperor, see *Aptenodytes forsteri*
Gentoo, see *Pygoscelis papua*
Jackass, see *S. demersus*
King, see *A. patagonicus*
Little, see *Eudyptula minor*
Macaroni, see *E. chrysolophus*
Magellanic, see *S. magellanicus*
Rockhopper, see *E. chrysocome*
Yellow-eyed, see *Megadyptes antipodes*
Perdix perdix, 341
Peregrine, see *Falco peregrinus*
Persoreus canadensis, 148
Petrel, see *Pterodroma*
Greatwinged, see *P. macroptera*
Kerguelen, see *P. brevirostris*
Leach's Storm, see *Oceanodroma leucorhoa*
Softplumaged, see *P. mollis*
Phaethon rubricauda, 527
Phainopepla, see *Phainopepla nitens*
Phainopepla nitens, 403
Phalacrocorax aristotelis, 398
P. carbo, 398
P. magellanicus, 523
P. neglectus, 384
P. pelagicus, 456, 457, 462
Phalaropes, Grey, see *Phalaropus fulicarius*
Red, see *P. fulicaria*
Red-necked, see *P. lobatus*
Wilson's, see *P. tricolor*
Phalaropus fulicaria, 126
P. fulicarius, 134
P. lobatus, 130
P. tricolor, 91
Pheasant, Brown Eared, see *Crossoptilon mantchuricum*
Pheucticus ludovicianus, 320
P. melanocephalus, 311, 320
Phoebe, Eastern, see *Sayornis phoebe*
Phoenicurus ochruros, 517
P. phoenicurus, 517
Phylidonyris novaehollandiae, 391
Phylloscopus trochilus, 85
Pica pica, 246, 247, 250, 525
Picidae, 307
Picoides borealis, 86
P. pubescens, 93
P. tridactylus, 256
Pigeon, Band-tailed, see *Columba fasciata*
Cape, see *Daption capense*
Feral, see *Columba livia*

New Zealand, see *Hemiphaga novaeseelandiae*
Snares Cape, see *Daption capense australe*
Pinicola enucleator, 329
Pintail, Northern, see *Anas acuta*
Pipilo aberti, 322
P. chlorurus, 321
P. erythrophthalmus, 67, 321, 322
P. fuscus, 322, 394
Pipit, Meadow, see *Anthus pratensis*
Tree, see *Anthus trivialis*
Pipra fasciicauda, 307, 308
Pipridae, 307
Piranga ludoviciana, 320
P. olivacea, 320, 396
P. rubra, 320
Plectrophenax hyperboreus, 326
P. nivalis, 326, 386
Plover, Mongolian, see *Charadrius mongolus*
Piping, see *C. melodus*
Ringed, see *C. hiaticula*
White-headed, see *Vanellus albiceps*
Podiceps auritus, 232
P. cristatus, 245
P. nigricollis, 231, 233, 407
Podilymbus podiceps, 232
Poephila guttata, 243, 516
Polioptila caerulea, 67
Pooecetes gramineus, 323, 350
Porphyrio porphyrio, 400
Porphyrula martinica, 55, 60
Porzana carolina, 32
Procellaria aequinoctialis, 384
P. cinerea, 384
Progne subis, 87, 88
Protonotaria citrea, 52, 425
Prunella modularis, 82
Pterodroma spp., 81
P. brevirostris, 262, 384
P. hypoleuca, 81
P. lessoni, 384
P. longirostris, 81
P. macroptera, 262, 384
P. mollis, 262, 384
P. nigripennis, 81
Ptilinopus rarotongensis, 530
Ptychoramphus aleuticus, 388
Puffins, Atlantic, see *Fratercula arctica*
Common, see *F. arctica*
Puffinus spp., 81
P. pacificus, 527
P. tenuirostris, 89, 384, 534
Pukeko, see *Porphyrio porphyrio*
Pygoscelis spp., 125
P. adeliae, 119, 437, 440, 455
P. antarctica, 119, 125, 455
P. papua, 119, 124
Pyrrhula pyrrhula, 295, 296
Pyrrhuloxia, see *Cardinalis sinuatus*
Pytilia melba, 166
Quail, Blue-breasted, see *Coturnix chinensis*
Common, see *C. coturnix*
Quailfinch, African, see *Ortygospiza atricollis*
Locust, see *O. locustella*
Red-billed, see *O. gabonensis*
Quelea, Red-headed, see *Quelea erythrops*
Quelea erythrops, 531
Quiscalus major, 57, 187, 328
Q. mexicanus, 328
Q. quiscula, 87, 267, 328
Rail, King, see *Rallus elegans*
Light-footed Clapper, see *R. longirostris levipes*
Northern Clapper, see *Rallus longirostris crepitans*
Virginia, see *R. limicola*
Yuma Clapper, see *R. longirostris yumanensis*
Rallus elegans, 32
R. limicola, 32
R. longirostris crepitans, 39
R. longirostris levipes, 32, 41
R. longirostris yumanensis, 32, 37
Ramphastidae, 307
Raven, Chihuahuan, see *Corvus cryptoleucus*
Redpoll, Common, see *Carduelis flammea*
Lesser, see *Carduelis flammea cabaret*
Redstart, American, see *Setophaga ruticilla*
Black, see *Phoenicurus ochruros*
Redwing, see *Turdus iliacus*
Rhynchops niger, 480, 489
Riparia riparia, 67
Rissa tridactyla, 420, 424, 459, 516
Robin, American, see *Turdus migratorius*
European, see *Erithacus rubecula*
Rook, see *Corvus frugilegus*
Rostrhamus sociabilis plumbeus, 171
R. s. sociabilis, 178
Sanderling, see *Calidris alba*
Sandpiper, Broad-billed, see *Limicola falcinellus*
Buff-breasted, see *Tryngites subruficollis*
Curlew, see *Calidris ferruginea*
Least, see *C. minutilla*
Marsh, see *Tringa stagnatilis*
Pectoral, see *C. melanotus*
Red-backed, see *C. alpina*
Semipalmated, see *C. pusilla*
Spotted, see *Actitis macularia*
Terek, see *Xenus cinereus*
Western, see *C. mauri*
Sapsucker, Red-breasted, see *Sphyrapicus ruber*
Yellow-bellied, see *S. varius*
Saxicola torquata, 519

Sayornis phoebe, 223
Scaup, Greater, see *Aythya marila*
Lesser, see *A. affinis*
Seiurus aurocapillus, 516
Setophaga ruticilla, 516
Shag, Rock, see *Phalacrocorax magellanicus*
Shearwater, Short-tailed, see *Puffinus tenuirostris*
Wedge-tailed, see *Puffinus pacificus*
Shoveler, Northern, see *Anas clypeata*
Shrikes, Grey-backed Fiscal, see *Lanius excubitorius*
Loggerhead, see *L. ludovicianus*
Sialia currucoides, 87, 248
S. sialis sialis, 54, 67, 87, 88
Silvereye, see *Zosterops lateralis*
Siskin, Pine, see *Carduelis pinus*
Sitta neumayer, 249
S. tephronota, 249
Skimmer, Black, see *Rhynchops niger*
Skua, South Polar, see *Catharacta maccormicki*
Skylark, see *Alauda arvensis*
Lesser, see *Alauda gulgula*
Snipe, see *Coenocorypha*
Somateria mollissima, 203, 245, 520
Sora, see *Porzana carolina*
Sparrow, American Tree, see *Spizella arborea*
Black-throated, see *Amphispiza bilineata*
Botteri's, see *Aimophila botterii*
Brewer's, see *S. breweri*
Cassin's, see *Aimophila cassinii*
Chipping, see *S. passerina*
Clay-colored, see *S. pallida*
Dusky Seaside, see *Ammodramus maritimus nigrescens*
Eurasian Tree, see *Passer montanus*
Field, see *S. pusilla*
Fox, see *Passerella iliaca*
Gambel's White-crowned, see *Z. leucophrys gambelii*
Golden-crowned, see *Zonotrichia atricapilla*
Grasshopper, see *Ammodramus savannarum*
Harris', see *Z. querula*
House, see *Passer domesticus*
Ipswich, see *Ammodramus princeps*
Lark, see *Chondestes grammacus*
Lincoln's, see *Melospiza lincolnii*
Rufous-collared, see *Z. capensis*
Rufous, crowned, see *Aimophila ruficeps*
Sage, see *Amphispiza belli*
Savannah, see *Passerculus sandwichensis*
Seaside, see *Ammodramus maritimus*
Song, see *M. melodia*
Swamp, see *M. georgiana*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Z. leucophrys*
White-throated, see *Z albicollis*
Sparrowhawk, see *Accipiter nisus*
Spheniscus demersus, 120, 284, 286, 287, 440, 445, 455, 520
S. magellanicus, 432, 440, 441, 453
Sphyrapicus ruber, 290
S. varius, 516
Spiza americana, 246, 321
Spizella arborea, 322
S. breweri, 323, 350, 392
S. pallida, 323, 350–354
S. passerina, 67, 322, 352
S. pusilla, 323, 352
Sporophila torqueola, 322
Starling, European, see *Sturnus vulgaris*
Mysterious, see *Aplonis mavornata*
Rose-colored, see *S. roseus*
Stelgidopteryx serripennis, 52
Stercorarius pomarinus, 225
Sterna caspia, 211, 396, 420
S. dougallii, 211, 420, 505, 514, 515
S. elegans, 396
S. forsteri, 211
S. fuscata, 413, 414, 420, 424, 527
S. hirundo, 40, 206, 216, 385, 395, 420, 507
S. paradisaea, 414, 420, 507
S. sandvicensis, 462
Stilt, Black-necked, see *Himantopus mexicanus knudseni*
Stint, Temminck's, see *Calidris temminckii*
Stonechat, see *Saxicola torquata*
Stork, Marabou, see *Leptoptilos crumeniferus*
Streptopelia decaocto, 530
S. turtur, 528
Strix aluco, 93, 249, 424
S. nebulosa, 250
S. uralensis, 250, 387
Struthio camelus, 536
Sturnella magna, 327
S. neglecta, 327, 350
Sturnus roseus, 91
S. vulgaris, 87, 88, 143, 265, 288, 289, 405, 443, 523, 530
Sula basana serrator, 90
S. bassanus, 70
S. dactylatra, 527
Sunbird, Splendid, see *Nectarinia coccinigastra*
Surnia ulula, 383, 531
Swallow, Bank, see *Riparia riparia*
Barn, see *Hirundo rustica*
Cliff, see *H. pyrrhonota*
Northern, Rough-winged, see *Stelgidopteryx serripennis*

South African Cliff, see *H. spilodera*
Tree, see *Tachycineta bicolor*
Swan, Trumpeter, see *Cygnus buccinator*
Sylvia communis, 83
Synthliboramphus antiquus, 388, 466
Tachycineta bicolor, 236, 401
Tachyeres patachonicus, 204
Tanager, Scarlet, see *Piranga olivacea*
Summer, see *P. rubra*
Western, see *P. ludoviciana*
Teal, Blue-winged, see *Anas discors*
Green-winged, see *Anas crecca*
Telespyza cantans, 331
T. ultima, 331
Tern, Arctic, see *Sterna paradisaea*
Black, see *Chlidonias nigra*
Caspian, see *S. caspia*
Common, see *S. hirundo*
Elegant, see *S. elegans*
Forster's, see *S. forsteri*
Gull-billed, see *Gelochelidon nilotica*
Roseate, see *S. dougallii*
Sandwich, see *S. sandvicensis*
Sooty, see *S. fuscata*
Tetrao tetrix, 84
T. urogallus, 84, 526
Thamnophilus nigrocinereus, 520
Thraupinae, 307
Thrush, Mistle, see *Turdus viscivorus*
Swainson's, see *Catharus ustulatus*
Hermit, see *C. guttatus*
Wood, see *Hylocichla mustelina*
Thryothorus ludovicianus, 393
T. nigricapillus, 535
T. rufalbus, 535
Tiaris bicolor, 345–347
Tit, Bearded, see *Panurus biarmicus*
Blue, see *Parus caeruleus*
Great, see *Parus major*
Marsh, see *Parus palustris*
Willow, see *Parus montanus*
Titmouse, Tufted, see *Parus bicolor*
Towhee, Abert's, see *Pipilo aberti*
Brown, see *P. fuscus*
Green-tailed, see *P. chlorurus*
Rufous-sided, see *P. erythrophthalmus*
White-collared, see *Sporophila torqueola*
Trachyphonus vaillanti, 407
Treecreepers, see *Certhia familiaris*
Tringa flavipes, 91
T. stagnatilis, 536
Trochilidae, 307
Trochilus polytmus, 346
Troglodytes aedon, 190, 380, 401, 426
Troglodytidae, 307
Tropicbird, Red-tailed, see *Phaethon rubricauda*
Tryngites subruficollis, 91
Turdus iliacus, 85
T. merula, 150, 151, 252, 389, 528, 530
T. migratorius, 442
T. pilaris, 530
T. viscivorus, 443, 444
Turnstone, Ruddy, see *Arenaria interpres*
Twite, see *Carduelis flavirostris*
Tyrannidae, 307
Tyrannus tyrannus, 350
T. verticalis, 247
Tyto alba, 343, 401, 536
Uraeginthus angolensis, 166
Uria aalge, 91, 394, 456, 457
U. lomvia, 91, 466
Vanellus albiceps, 536
Vermivora bachmanii, 537
V. celata, 537
V. chrysoptera, 537
V. pinus, 537
Vidua chalybeata, 152–170
V. purpurascens, 152–170
Vireo, Bell's, see *Vireo bellii*
Black-whiskered, see *V. altiloquus*
Philadelphia, see *V. philadelphicus*
Red-eyed, see *V. olivaceus*
White-eyed, see *V. griseus*
Yellow-throated, see *V. flavifrons*
Vireo altiloquus, 516
V. bellii, 67
V. flavifrons, 39
V. griseus, 393, 516
V. olivaceus, 396, 523
V. philadelphicus, 523
Vireonidae, 307
Vulture, Black, see *Coragyps atratus*
Cape Griffon, see *Gyps coprotheres*
Warblers, Bachman's, see *Vermivora bachmanii*
Black-and-white, see *Mniotilta varia*
Blackpoll, see *Dendroica striata*
Black-throated Green, see *D. virens*
Blue-winged, see *V. pinus*
Cape May, see *D. tigrina*
Cerulean, see *D. striata*
Golden-winged, see *V. chrysoptera*
Orange-crowned, see *V. celata*
Palm, see *D. palmarum*
Prairie, see *D. discolor*
Prothonotary, see *Protonotaria citrea*
Reed, see *Acrocephalus scirpaceus*
Willow, see *Phylloscopus trochilus*
Yellow, see *D. petechia*
Yellow-rumped, see *D. coronata*
Waxbill, Blue, see *Uraeginthus angolensis*

Waxwing, Bohemian, see *Bombycilla garrulus*
Cedar, see *B. cedrorum*
Weka, see *Gallirallus australis*
Whitethroat, see *Sylvia communis*
Widowbird, see *Euplectes progne*
Wigeon, American, see *Anas americana*
Eurasian, see *A. penelope*
Willet, see *Catoptrophorus semipalmatus*
Woodpecker, Acorn, see *Melanerpes formicivorus*
Downy, see *Picoides pubescens*
Red-bellied, see *M. carolinus*
Red-cockaded, see *P. borealis*
Red-headed, see *M. erythrocephalus*
Three-toed, see *P. tridactylus*
White-backed, see *Dendrocopus leucotos*
Wren, Bay, see *Thryothorus nigricapillus*
Carolina, see *T. ludovicianus*
House, see *Troglodytes aedon*
Marsh, see *Cistothorus palustris*
Rufous-and-white, see *Thryothorus rufalbus*
Sedge, see *C. platensis*
Xanthocephalus xanthocephalus, 327
Xenus cinereus, 91
Yellowlegs, Lesser, see *Tringa flavipes*
Yellowthroat, Common, see *Geothylpis trichas*
Zenaida macroura, 67, 89, 215, 262
Zonotrichia albicollis, 18, 325
Z. atricapilla, 325
Z. capensis, 169, 170
Z. leucophrys, 67, 325
Z. l. gambelii, 6–20
Z. l. nuttalli, 67, 169
Z. l. oriantha, 7, 20, 295
Z. querula, 325
Zosterops lateralis, 253